the principal plants using copper and copper alloys are KWO, KWK, Sachsenwer, and AEC-Treptow. These plants use copper as a current-conducting material and therefore the use of copper substitutes must always result in a deterioration of quality of the plant products. Copper substitutes can only be used for secondary, less important parts. The plan provides for a saving of 1,062 tons of copper and 30 tons of aluminum in 1952. The use of aluminum substitutes, i.e. magnesium alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic. The "Spritz-Pressgiesserei" Plant is organizing pressure casting of magnesium alloys.	Approved for Release 2003/02/17 : CIA-RDF 03-00413R011300100003-3	
the principal plants using copper and copper alloys are KWO, KWK, Sachsenwer, and AEG-Treptow. These plants use copper as a current-conducting material and therefore the use of copper substitutes must always result in a deterioration of quality of the plant products. Copper substitutes can only be used for secondary, less important parts. The plan provides for a saving of 1,062 tons of copper and 30 tons of aluminum in 1952. The use of aluminum substitutes, i.e. magnesium alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic. The "Spritz-Pressglesserei" Plant is organizing measure continued.	HERMANY (Russian Zone)	<u> </u>
the principal plants using copper and copper alloys are KWO, KWK, Sachsenwer, and AEG-Treptow. These plants use copper as a current-conducting material and therefore the use of copper substitutes must always result in a deterioration of quality of the plant products. Copper substitutes can only be used for secondary, less important parts. The plan provides for a saving of 1,062 tons of copper and 30 tons of aluminum in 1952. The use of aluminum substitutes, i.e. magnesium alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic. The "Spritz-Pressgiesserei" Plant is organizing pressure casting of	ONSERVATION OF COPPER AND ALUMINUM IN PLANTS OF THE SAG KABEI	
The plant provides for a saving of 1,062 tons of copper and 30 tons of aluminum in 1952. The use of aluminum substitutes, i.e. magnesium alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic.		
use copper as a current-conducting material and therefore the use of copper substitutes must always result in a deterioration of quality of the plant products. Copper substitutes can only be used for secondary, less important parts. The plan provides for a saving of 1.062 tons of copper and 30 tons of aluminum in 1952. The use of aluminum substitutes, i.e. magnesium alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic. The "Spritz-Pressglesserei" Plant is organizing measure costing of		
use copper as a current-conducting material and therefore the use of copper substitutes must always result in a deterioration of quality of the plant products. Copper substitutes can only be used for secondary, less important parts. The plan provides for a saving of 1.062 tons of copper and 30 tons of aluminum in 1952. The use of aluminum substitutes, i.e. magnesium alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic. The "Spritz-Pressgiesserei" Plant is organizing massure cesting of		
use copper as a current-conducting material and therefore the use of copper substitutes must always result in a deterioration of quality of the plant products. Copper substitutes can only be used for secondary, less important parts. The plan provides for a saving of 1,062 tons of copper and 30 tons of aluminum in 1952. The use of aluminum substitutes, i.e. magnesium alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic. The "Spritz-Pressglesserei" Plant is organizing pressure costing of		
copper as a current-conducting material and therefore the use of copper substitutes must always result in a deterioration of quality of the plant products. Copper substitutes can only be used for secondary, less important parts. The plan provides for a saving of 1.062 tons of copper and 30 tons of aluminum in 1952. The use of aluminum substitutes, i.e. magnesium alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic. The "Spritz-Pressgiesserei" Plant is organizing massure costing of	the principal plants using copper and cop-	H
The plan provides for a saving of 1.062 tons of copper and 30 tons of aluminum in 1952. The use of aluminum substitutes, i.e. magnesium alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic. The "Spritz-Pressgiesserei" Plant is organizing pressure casting of	so copper as a current-conducting material and thomselves the con-	Control to the control
The plan provides for a saving of 1,062 tons of copper and 30 tons of aluminum in 1952. The use of aluminum substitutes, i.e. magnesium alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic. The "Spritz-Pressglesserei" Plant is organizing pressure casting of	" one prairy produces, copper substitutes can only be used for account	1-
alloys, is complicated due to the fact that pressure-casting of magnesium alloys is still insufficiently developed in the German Democratic Republic. The "Spritz-Pressgiesserei" Plant is organizing pressure casting of		7 1 1
The "Spritz-Pressglesserei" Plant is organizing messure certing of		1
magnesium alloys.	The transfer of the common Demonstration of the common Dem	num blic.
	agnesium alloys.	
		متور. د د د

25X1

25X1 8739 Approved For Release 2005/99/17/ET CIA-RDP83-00415R011300100005-9 INTELLOPAX 25 CENTRAL INTELLIGENCE AGENCY REPORT INFORMATION REPORT 25X1 CD NO. 22 May 1952 DATE DISTR. COUNTRY Germany (Russian Zone) Conservation of Copper and Aluminum in the Plants NO. OF PAGES 1 **SUBJECT** of the SAG Kabel NO. OF ENCLS. 1 PLACE ACQUIRED 25X1 25X1 25X1 25X1 DATE OF SUPPLEMENT TO REPORT NO. 25X1 **ACQUIRED** 25X1 THIS IS UNEVALUATED INFORMATION 25X1 is forwarded to you for The attached retention. 25X1

25X1

THIS DOCUMENT HAS AN ENCLOSURE ATTACHED DO NOT DELACH

Approved For Release 2005/02/17 : CIA-RDP83-00415R011300100005-9

25X1	Comment. The SAG Kabel includes 12 enterprises of the
25X1	electrical engineering industry.
25X1	
25X1	KWO - Kabelwerk Oberspree (Cableworks Oberspree) in Berlin-Ober-
25X1	schoeneweide
25X1	KWK - Kabelwerk Koepenick, C.I. Vogel, Draht and Kabelwerk in Berlin-Koepenick (Koepenick Cableworks, C.I. Vogel, Wire
25X1	and Cableworks in Berlin-Koepenick).
	THIS IS AN ENCLOSURE TO
<u>(</u>	DO NOT DETACH
j.	Approved For Release 2005/02/17 EA 101P83-00415R011300100005-9

25X1

Next 1 Page(s) In Document Exempt